

**FILM WASHI**  
world's smallest film company

**G**  
80 ISO  
DATA SHEET

**GREEN SENSITIVE MEDICAL X-RAY FILM**

**Sensitivity:** 80 ISO  
**Grain:** moderate  
**Contrast:** low

**Production process:** industrial coating  
**Base:** Blue polyester, 175 µm

**Spectral sensitivity:** Maximum 550 nm  
**Darkroom safelight:** Red, 575 nm



**Original use:** "G" is originally used for medical examination through X-rays. Being emulsion coated on both sides and without an anti-halation layer, it creates a very special aesthetic.


**Recommended use:** Landscape, urban photography, still life. Portrait,

**Processing:**

exposure	developer	dilution	time	T°C
80 iso	Ultrafin	1+10	3,5 mn	20°C
80 iso	D-76	1+1	4 mn	20°C
80 iso	Rodinal	1+25	5,5 mn	20°C
80 iso	Ilfosol 3	1+9	6 mn	20°C
80 iso	Ilfotec LC29	1+19	6 mn	20°C

For using with an unlisted developer, you can use, for a 80 iso exposure, times and dilution for the Ilford PAN-F at 50 iso.

**Structure of layers:**



**Loading:** Being coated both sides, there is no notch: sheet-films can be loaded on one side or another.

**Standard sizes:** 12 pcs sheet-film pack: 4x5", 5x7" & 8x10"  
custom sizes available on demand

**Usage tips:** Radiographic film are more fragile than others and need extra care during all parts of use and process to avoid any risk of scratch.

.....  
*We take great care in the manufacture of each Film. If you are unhappy with the film for any reason, please get in touch and we will do our best to help. In case of manufacturing defect, films will be replaced by new ones. No other claims for compensation will be accepted.*